

DEPARTMENT OF AGRICULTURE, FOOD AND THE MARINE
LIST OF APPROVED DISINFECTANTS (26/02/2018)

Disinfectant	Diseases in respect of which use is approved and dilution rates ¹				
	Foot and Mouth Disease	Swine Vesicular Disease	Poultry Disease: Avian Influenza & Newcastle Disease	Tuberculosis	Other scheduled Diseases: Including Anthrax, Brucellosis, Contagious Bovine Pleuro-pneumonia and Glanders
Acidfoam-C	70	---	---	---	---
Activ 8 Hard Surface Cleaner	---	---	Ready to use	---	---
Agrisept MC Tabs	271	448*	271	---	450
Bimodex	550	100	100	20	49
Bio Dine	---	---	145	---	---
Bio Guard	---	---	80	---	---
Bio Kill	140	---	365	---	160
Bi-OO-Cyst	---	---	125	---	---
BioPhen	---	---	30	---	10
Bio Phen Plus	400	160	210	---	---
Bio Shield	---	---	155	---	---
Bio Shield P	60	160	80		50
Bio VX	1200	135	285	---	100
Citrox	---	---	0.66	---	---
Clinidine	320	---	140	---	---
Clinidine 28	500	400	170	---	---
Cyclex	---	---	24	---	---
Deosan Iodel FD 11	450	500	145	15	150
Dermicidal Extra	50	150	125	13	61
Enviroguard	60	300	150	10	60
Equisept	271	---	450	---	450
FAM	525	400	150	15	110
FAM 30	550	100	100	20	49
Farm Fluid HD Row	200	50	200	15	60
Farmklear	80	---	50	---	44
Farmsan	550	100	100	20	49

GPC 8	80	---	50	---	44
Hyperox	150	---	150	100	179
Intercid	200	---	400	---	40
Interfarm 500	1000	---	500	---	500
Intercid	---	---	100	---	40
Interkokask	---	---	24	---	50
Interkokask Concentrate	24	24	50	32.33	50
Intra Hydrocare	---	---	---	---	10
Intra Multi DES GA	---	---	100	---	65.6
Iodosure Bio	240	160	110	---	25
Iosan Farm Disinfectant	240	180	80	15	80
Jentabs	299	299	449	---	299
Jeyes Fluid	---	---	30	---	50
Kick Start 2	800	160	145	44	256
Kilcox Extra	---	100	100	---	50
Novagen FP	240	180	80	22	145
Omnicide	60	60	125	---	50
Omnicide FGII	60	60	125	---	50
Omnicide 325	50	150	125	13	61
Opticide 200	50	150	125	13	61
Osmodex	525	400	150	15	110
Osmodex Plus	550	100	100	20	49
Perbac Farm	800	160	140		256
Purogene	250	240	20	20	22
Seprivet	299	299	449	---	299
Seprivet 17	1000	1000	700	---	1000
Sorgene 5	75	75	100	75	200
Spectocide 2000	60	300	150	10	60
Supercide	150	450	200	---	200
Superdine	550	600	125	30	180
Superkill	---	50	100	---	22
SWC Maxikleen	600	400	100	45	43
Trigene Advance	---	---	10	---	10
Triquart MS	---	---	15	---	25
V26	200	200	200	105	178
Vandox	200	30	300	---	300
Vesphene D39	10	----	50	70	55
Victor	1300	200	280	---	120

Viragri Plus	---	---	190	---	---
Virex	1300	100	100	---	100
Virkon Advanced	200	---	250	---	200
Virkon (R) H2O	---	---	200	---	100
Virkon (R) LSP	1100	50	200	15	60
Virkon S	1300	200	280	---	100
Virkon S Tablets	1000	---	250	---	100
Virochlor	271	448	271	---	450
Virocid	100	---	60	---	33
Virophen	---	200	210	---	---
Virophen Plus	---	---	240	---	---
Virophor 2.8%	550	150	99	20	50
Viroshield	---	300	100	---	25
Virudine(R) Plus	550	100	100	20	49
Zal Perax II	800	160	145	44	256

* This list is **provisional**. Disinfectants approved by DAFM must fulfil the following criteria:

- (1) Inclusion on the DAFM "Biocidal Products Register" which is controlled by the Pesticide Registration and Controls Divisions (PRD/PCD).
This Register contains a list of authorised, notified and permitted biocidal products. Under S.I 427 of 2013, a person shall not place on the market, make available or use a biocidal product unless that product is entered in the "Product Register" or is subject to a grace period determined under Regulation 19 (5) of Reg. (EU) No. 528/2012 as amended by Regulation (EU) No 334/2014. Forms for notification of biocides are available at www.pcs.agriculture.gov.ie. Authorisation of a product must be carried out according to the provisions of the Biocidal Products Regulation (EU) No. 528/2012 as amended by Regulation (EU) No 334/2014.
- (2) The disinfectant must have demonstrated efficacy in laboratory testing against the agent for which it is approved for use. Testing is conducted either at the Institute of Animal Health, Pirbright, or the Veterinary Laboratory Agency, Weybridge depending on the pathogenic agent. Details are available at www.defra.gov.uk.
- (3) For each of the products listed, DAFM must be provided with the following:
 - Safety Data sheet
 - PCS number or IE/BPA
 - Certificate of testing against one or more of the diseases (including dilution rates)
 - Copy of DEFRA list showing relevant product (if the product distributed in Ireland has a different trade name, there should be a letter from the company stating that the products are identical)
 - Sample labels in conformity with Irish requirements
- (4) (---) = Not approved

¹ Dilution rate is expressed as one part (1 gram or 1 ml) of the preparation to the number of mls of water in the appropriate column.

² Organic acid with activity against FMDV www.oie.int

³ Alkali with activity against FMDV www.oie.int

NOTE: READ CAREFULLY THE MANUFACTURER'S INSTRUCTIONS BEFORE USAGE PARTICULARLY IN RELATION TO SPECIFIED PRECAUTIONS

Note: Dilution rates for disinfectants for use against Foot and Mouth Disease and/or Swine Vesicular Disease relate to effectiveness when applied to a clean surface.

- (a) thoroughly cleansed, ensuring that dung, litter, etc. is removed and disposed of so that there is no risk of contact with livestock; and
- (b) (the clean area) washed or sprayed with an approved disinfectant used at the approved dilution