

Certificate Number _____

Import Permit Number _____

**An Roinn Talmhaíochta
Bia agus Mara****Department of Agriculture
Food and the Marine****EIRE****Ireland****ANIMAL HEALTH CERTIFICATE**

For the Export of Bovine Semen from the Republic of Ireland to South Africa

Consignor (name and full address):	Certificate number	
	Import Permit Number	
	Competent authority: Department of Agriculture, Food and the Marine	
Consignee (name and full address)- Name: Centre Veterinarian (animals):	Name and address of EU Approved Semen Collection Centre:	
Place of loading:	Approval number of EU Approved Semen Collection Centre:	
Means of transport: Identification of means of transport:	Place and Country of destination	
Seal number(s) of semen container(s)	Number of Semen Straws Straw Identification:	
Name, Identification and HBN of Donor Bull Date of Birth. Place of Birth Herd of Origin	Breed Date Donor Bull was approved for Artificial Insemination	Date(s) of collection of Semen

VETERINARY HEALTH CERTIFICATE FOR THE IMPORT OF BOVINE SEMEN

I.....a certified veterinarian authorised thereto by the Veterinary Authority of Ireland hereby certify that:

- 1) the semen to be exported was collected at an insemination centre which is under the control and supervision of a veterinarian approved by the Veterinary Authority of the exporting country;
- 2) no outbreaks of Vesicular Stomatitis have occurred at, or within twenty (20) kilometres of the said insemination station during the twelve (12) months immediately preceding the date on which the semen for export was collected ;
- 3) the country is officially recognised by the OIE as a foot and mouth disease free country without vaccination.
- 4) the donor bulls:
 - I. had been continuously resident at the A.I. Centre concerned, or at other such approved A.I. centres for a period of at least one month prior to collection of the semen for export to the Republic of South Africa, and in that time had not been used for natural mating and were isolated from animals not of equivalent health status;
 - II. were clinically healthy and clinically free from diseases which are transmitted via the semen;
 - III. have been tested for Tuberculosis with intradermal tuberculin tests with negative results within the twelve (12) months preceding the collection of the semen to be exported, or alternatively the country of origin is free from bovine Tuberculosis;
 - IV. showed no Trichomonas foetus infection on direct microscopic examination and culture test OR on PCR testing on three (3) sheath washing- or preputial scraping samples collected at least seven (7) days apart, taken during the three (3) months immediately preceding date of collection ;
 - V. showed no Campylobacter foetus infection by either immunofluorescent antibody test OR on cultural examination OR PCR on a sample of three (3) sheath washings or preputial scrapings collected at least seven (7) days apart taken during the three (3) months immediately preceding date of collection;
 - VI. had been tested serologically for Leptospira serotypes prevalent in cattle in the exporting country, with negative results within three (3) months preceding collection of this semen; OR the donor animal was injected twice with streptomycin at 25 mg per kg bodyweight at 14 day interval. The second injection was administered within seven (7) days, but more than twenty-four (24) hours before the initial semen collection for export
 - VII. have been tested serologically with ELISA for Brucellosis with negative results within the three (3) months preceding the collection of this semen and a aliquot of semen was submitted for bacterial isolation .
 - VIII originate from herds which are certified free from Johne's Disease/or where no clinical, cultural or pathological evidence of Johne's Disease occurred in herd of origin for the 3 year period before the bull entered the AI centre. Each donor gave a negative result to an ELISA test for Johne's disease.
 - IX were tested serologically negative for IPV/IBR with a serum neutralization test or ELISA during the three (3) months preceding collection of the semen, or an aliquot of each semen collection for this consignment was subjected to a PCR test with negative results.
 - X Were tested serologically negative for Enzootic Leucosis on Agar Gel Immuno diffusion test or the ELISA test during the three (3) months preceding collection of the semen.
 - XI were subjected to an antigen detection ELISA or virus isolation test for BVDV 1 and BVDV 2 with a negative result, prior to entry into an approved semen collection centre and have remained isolated from other animals that have not been tested negative and all donors have had an aliquot of each semen collection for this consignment subjected to a virus isolation test or PCR test with negative results.

